

DS-TMG001-3D**DS-TMG32 series Barrier Gate Straight Pole**


- Octagonal straight and telescopic pole
- With a wall thickness of 0.8mm

▪ Specification


Model		DS-TMG001-3D(3米八角直杆)	DS-TMG001-3D(4米八角直杆)	DS-TMG001-3D(2.6-4米伸缩杆)	DS-TMG001-3D(3.6-6米八角伸缩杆)
Boom Pole	Boom Pole Type	Octagonal Pole		Octagonal Telescopic Pole	
	Boom Pole Material	Aluminum Profile			
	Boom Pole Color	White Background with Red Bar			
	Boom Pole Dimensions	94×40×3030mm(3.70×1.57×119.29inch)(H×W×L)	94×40×4040mm(3.70×1.57×159.06inch)(H×W×L)	94×40×2630mm(3.70×1.57×103.54inch)(H×W×L)	94×40×3630mm(3.70×1.57×142.91inch)(H×W×L)
	Boom Pole Weight	2.6kg(5.73lb.)	3.4kg(7.50lb.)	3.6kg(7.94lb.)	5.2kg(11.64lb.)
	Boom Pole Dimensions (with Package)	115×55×3080mm(4.53×2.17×121.26inch)(H×W×L)	115×55×4090mm(4.53×2.17×161.02inch)(H×W×L)	115×55×2680mm(4.53×2.17×105.51inch)(H×W×L)	115×65×3680mm(4.53×2.56×144.88inch)(H×W×L)
	Boom Pole Weight (with Package)	3.2kg(7.05lb.)	4.2kg(9.26lb.)		5.77kg(12.72lb.)


▪ Dimension

Telescopic Pole
Near side of barrier gate



Telescopic Pole
Far side of barrier gate





▪ Accessory



DS-TMG102



DS-TMG320/TR



DS-TMG320-H/B

See Far, Go Further



www.hikvision.com
support@hikvision.com

