

DS-KD-ACF3/S

- 3 Flush mounting module brackets of modular door station: includes gang box, cover screws, lines, etc.
- Stainless steel high quality material


▪ Specification

General	
Working temperature	-40 °C to 55 °C (-40 °F to 131 °F)
Dimension (W × H × D)	For cover 337.8 x 124 × 11.5 mm(13.3" x 4.88" x 0.45") For gang box 320.8 × 107 × 45 mm (12.63" × 4.21" × 1.77")
Material	Cover: Stainless Steel Gang Box: Plastic

▪ Available Model

DS-KD-ACF3/S

▪ Dimension



▪ Accessory




DS-KD-KP




DS-KD8003-IME1




DS-KD8003Y-IME2/NS



DS-KD8003-IME2/S




DS-KD-IN



DS-KD8003-IME1



DS-KD-KP/S



DS-KD-M



DS-KD-DIS



DS-KD-INFO



DS-KD7003EY-IME2




DS-KD8003-IME1



DS-KD8003-IME2/NS



DS-KD8003-IME1(B)/S



DS-KD-BK




DS-KD8003-IME2



DS-KD8003-IME1/NS



DS-KD-KK



DS-KD-E



DS-KD8003Y-IME2/S



DS-KD-KK/S



DS-KD-KP#EU

See Far, Go Further



www.hikvision.com
support@hikvision.com

